



Lignes rigides

Episode 12

Raccords sertis à braser / à souder

Ligne rigide	Flexible	Module	Ø tube	Réf.
Acier 	Standard	6		240D60
		8		240D61
		10		240D62
		12		240D63
	Réduit	6		240D64
		8		240D65
		10		240D66
		12		240D67
Aluminium 	Réduit	6		240G37
		8		240G38
		10		240G39
		12		240G40

Tubes aluminium 1 m

Ø ext. (pouce)	Ø ext. (mm)	Réf.
3/8"	9,53	400B47
1/2"	12,7	400B48
5/8"	15,8	400B49






Tés

Matériaux	Ø ext. (mm)	Référence ECOCLIM
Aluminium	9.53	400B40
Aluminium	13	400B41
Aluminium	16	400B39
Aluminium	19	400B53

Manchons

Matériaux	Ø ext. (mm)	Référence ECOCLIM
Laiton (acier)	8 - 8	400B11
Aluminium	8 - 8	400B17
Laiton (acier)	9.53 - 8	400C50
Laiton (acier)	9,53 - 9,53	400B12
Aluminium	9,53 - 9,53	400B18
Laiton (acier)	10 - 10	400B13
Aluminium	10 - 10	400B19
Laiton (acier)	12 - 12	400B14
Aluminium	12 - 12	400B20
Laiton (acier)	13 - 13	400B15
Aluminium	13 - 13	400B21
Laiton (acier)	13 - 9.53	400B23
Laiton (acier)	13 - 9.53	400B25
Laiton (acier)	16 - 16	400B16
Aluminium	16 - 16	400B22
Laiton (acier)	16 - 13	400B24
Laiton (acier)	16 - 13	400B51
Laiton (acier)	19 - 19	400B50
Laiton (acier)	19 - 16	400B52

Outillage

Outillage		Référence
Coupe-tube		Ø 4-28 mm : 400F86 Ø 6-42 mm : 400F85
Ebavureur		400F87
Kit de brasage + baguette aluminium		420A81 + 420A83 Recharge : 420A82
Pince de sertissage		400B42
Jeux de mâchoires		Ø max 8 mm : 400B83 Ø 9-11 mm : 400B43 Ø 12-14 mm : 400B44 Ø 15-17 mm : 400B55 Ø 18-19 mm : 400B45 Ø 20-22 mm : 400B46